

Oak Palm Base 8010

High performance trimethylolpropane complex ester lubricant base fluid

Oak Palm Base 8010 is an ISO 100, low viscosity, Group V, trimethylolpropane complex ester with superior lubricating properties, high viscosity index, excellent hydrolytic and oxidative stability. Synthesized from natural oils, Oak Palm Base 8010 is renewable and biodegradable.

Typical Characteristics

Measurement	Unit	Typical value
Visual appearance		Clear liquid
Density @ 20°C	g/ml	0.930
Kinematic viscosity @ 40°C	mm ² /s	100
Viscosity index		186
Acid value	mg KOH/g	0.8
Saponification value	mg KOH/g	184
Iodine value	gl/100g	84
Hydroxyl value	mg KOH/g	11
Cloud point	°C	-20
Pour point	°C	-33
Flash point (COC)	°C	324
Oxidation stability (RBOT)	minutes	28
Renewability	%	100
Biodegradability OECD 301B	%	100 – 12 day period

Features and benefits

Features	Benefit
Biodegradability	Compliance with local environmental regulation
Effective at low treat rates	Efficient formulations
Good lubricity	Improved surface finish, increased efficiency
High viscosity index	Temperature stability
High flash point	Safer operation
Hydrolytic stability	Longer life, increased productivity
Low misting	Healthier operation environment
High renewability content	Reduced impact on limited natural resources

Oak Palm Base 8010

Applications and recommended uses

Oak Chemicals recommends this product is used at the following typical treat rates:

- Greases: 5 – 90%
- Hydraulic fluid: up to 98%
- Gear oil: up to 96%
- Chainsaw chain oil: up to 96%

Sales and technical support

With experience working with lubricant industry formulators, Oak Chemicals technical specialists are able to offer expertise and support in selecting the most effective products for your application. For further or advice, please contact your local Oak Chemicals sales office, visit our website www.oakchemicals.com or email management@oakchemicals.com

For complete safety, health, personnel protection and first aid information, refer to the Material Safety Data Sheet (MSDS) which can be requested by website or phone Oak Chemicals.

Non-warranty

The information in this publication is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights including, without limit, copyright, trademark, and designs. Any trademarks identified herein are trademarks of the OAK Chemicals group of companies.